

Formstrike MRO

Concrete Release Agent

Description

A versatile neat oil with surfactant which is designed to give optimum release and surface finish for a wide range of formwork materials. Complies with the British Cement Association, Category 2.

Advantages

- Produces a uniform stain free concrete surface.
- Effects a positive release hence reducing cleaning time.
- Protects both metal and timber forms.
- Economical in use and easily applied.

Technical Information

Appearance	Low Viscosity Amber Liquid
Specific Gravity at 20°C	0.84
Viscosity	13 Cps
Saponification value	3.0
Freezing Point	-25°C
Coverage	15-30 m ² per litre

Application Instructions

1. The form surface should be clean prior to application of the mould oil.
2. A thin even film should be applied preferably by spray, though brush or rollers may be used. Excess material should not be allowed to collect in the bottom of the moulds.
3. New unsealed timber requires a double application prior to the first cast.

Packaging

Formstrike MRO is available in 20 litre and 210 litre drums and in 1000 litre bulk tanks.

Storage

Mould Oils should be stored at normal temperature, out of the reach of children and away from foodstuffs.

Health & Safety

Product Safety Data Sheets (SDS) are available from Nufins. SDS sheets are provided to help customers satisfy their safe handling, use and disposal needs as well as assist with any conformance requirements made locally by health and safety regulations.

SDS are continually updated to provide the latest information to our customers. We therefore recommend contacting our head office to obtain the most recent and accurate SDS before handling and using any product.

Technical Note

Formstrike MRO, when used in accordance with the manufacturers recommendations, does not cause staining. Concrete 'staining' can be caused by a number of factors on which our Technical Department can advise.

Technical Support

Through our technical department and laboratories we can offer a comprehensive service to specifiers and contractors. Technical contacts are available to provide further information and arrange demonstrations.

