

## **POLYSOLV**

### **Polystyrene Dissolver**

#### **Description**

A powerful solvent blend for dissolving of expanded polystyrene.

#### **Advantages**

- Excellent searching and penetrative properties.
- Ready for use, easily applied to vertical surfaces.
- Easily dissolves expanded polystyrene formers, making voids/boxouts ready for concreting.
- Not classified as flammable.

#### **Packaging**

Polysolv is available in 5 and 25 litre containers.

#### **Storage**

Polysolv should be stored away from foodstuffs and out of the reach of children.

#### **Application**

Polysolv should be applied undiluted on to the expanded polystyrene and allowed to dissolve the polystyrene for several minutes. The residues should then be wiped off or flushed away with water. Measures should be taken to ensure that the Polysolv does not enter any drainage systems.

Coverage: approximately 40 litres of Polysolv is sufficient to dissolve 1m<sup>3</sup> of polystyrene.

#### **Health & Safety**

Goggles and gloves should be worn. If using in confined spaces provide adequate ventilation.

#### **Technical Support**

Through our technical department and laboratories we can offer a comprehensive service to specifiers and contractors.

Technical representatives are available throughout the UK to provide further information and arrange demonstrations.



Kingston House, 3 Walton Road, Pattinson North, Washington, Tyne & Wear, NE38 8QA, United Kingdom.  
TEL: +44 (0) 191 416 8360 FAX: +44 (0) 191 415 5966 W: [www.nufins.com](http://www.nufins.com) E: [info@usluk.com](mailto:info@usluk.com)

The information and/or specifications contained herein or in our literature or given by Nufins, its employees, distributors, agents or representatives with regard to its product or their use or application are given in good faith, but no liability is accepted for any loss or damage (including direct or consequential loss or loss of profits) from the use of products because Nufins has no control over how its products are used and applied.